

SAFETY DATA SHEET

Product name: PROLAN PROTECTIVE LANOLIN Page: 1/8
Revision Date: 2016-02-08 Print date: 2016-02-08
Product No.: SDS-ID: GB-EN/4.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: PROLAN PROTECTIVE LANOLIN
Container size: 500 ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Lubricant.
Corrosion inhibitor.

1.3. Details of the supplier of the safety data sheet

Supplier: Denrex ApS
Daniavej 33, Assens
DK- 9550 Mariager
Tel: +45 24428188
Fax: +45 98548188
In@denrex.com
www.denrex.com

Responsible for safety data sheet authoring: In@denrex.com

1.4. Emergency telephone number

Emergency telephone: 112

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP: Aerosol 1;H222,H229

2.2. Label elements



Danger

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251 Do not pierce or burn, even after use.
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.
P102 Keep out of reach of children.

2.3. Other hazards

PBT/vPvB: This product does not contain any PBT or vPvB substances.

Other: Repeated exposure may cause skin dryness or cracking.
The product contains volatile, organic compounds which have a photochemical ozone creation potential.
Aerosol containers can explode when heated, due to excessive pressure build-up.

SAFETY DATA SHEET

Product name: PROLAN PROTECTIVE LANOLIN Page: 2/8
Revision Date: 2016-02-08 Print date: 2016-02-08
Product No.: SDS-ID: GB-EN/4.0

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: Lanolin, organic solvent and propellants.

CLP:

%:	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
10-20	64742-48-9	265-150-3	-	Naphtha (petroleum), hydrotreated heavy	Asp. Tox. 1;H304 EUH066	P
20-30	75-28-5	200-857-2	-	Isobutane	Flam. Gas 1;H220 Press. Gas	C; U
20-30	106-97-8	203-448-7	01-2119474691-32-	Butane	Flam. Gas 1;H220 Press. Gas	C; U
20-30	74-98-6	200-827-9	01-2119457558-25-	Propane	Flam. Gas 1;H220 Press. Gas	U

Notes: P: benzene < 0,1% (w/w)

References: The full text for all hazard statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Inhalation: Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Extinguish with carbon dioxide or dry powder. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

5.2. Special hazards arising from the substance or mixture

Specific hazards: Aerosol containers can explode when heated, due to excessive pressure build-up.

5.3. Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

SAFETY DATA SHEET

Product name:	PROLAN PROTECTIVE LANOLIN	Page:	3/8
Revision Date:	2016-02-08	Print date:	2016-02-08
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not smoke or use open fire, or other sources of ignition. Follow precautions for safe handling described in this safety data sheet.

6.2. Environmental precautions

Environmental precautions: Avoid discharge into water courses or onto the ground. Aerosol containers should not be dumped in nature.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with non-combustible, absorbent material.

6.4. Reference to other sections

References: For personal protection, see section 8.
For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Avoid inhalation of spray mists and contact with skin and eyes. Observe good chemical hygiene practices.

Technical measures: Do not smoke or use open fire or other sources of ignition.

Technical precautions: Provide adequate ventilation.
Provide easy access to water supply or an emergency shower.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: Follow rules for flammable liquids.

Storage conditions: Store in tightly closed original container in a well-ventilated place. Do not store near heat sources or expose to high temperatures.

7.3. Specific end use(s)

Specific use(s): Not relevant.

SAFETY DATA SHEET

Product name: PROLAN PROTECTIVE LANOLIN Page: 4/8
Revision Date: 2016-02-08 Print date: 2016-02-08
Product No.: SDS-ID: GB-EN/4.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

CAS-No.:	Chemical name:	As:	Exposure limits:		Type:	Notes:	References:
106-97-8	Butane	-	600 ppm	1450 mg/m3	TWA	Carc	EH40
		-	750 ppm	1810 mg/m3	STEL	Carc; 15min	
-	Normal and branched chain alkanes >=C7 (excluding n-Heptane)	-		1200 mg/m3	TWA	-	EH40

Notes: Carc: Capable of causing cancer and/or heritable genetic damage. (Only applies if Butane contains more than 0.1% of buta-1,3-diene)

8.2. Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours and spray mist.

Personal protection: Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment: Use respiratory equipment with combination filter, type A2/P3.

Hand protection: Risk of contact: Wear protective gloves. Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Risk of splashes: Wear goggles/face shield.

Skin protection: Wear apron or protective clothing in case of contact.

Hygiene measures: Wash hands after handling.

SAFETY DATA SHEET

Product name: PROLAN PROTECTIVE LANOLIN
Revision Date: 2016-02-08
Product No.:

Page: 5/8
Print date: 2016-02-08
SDS-ID: GB-EN/4.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Form: Aerosol.
Colour: Light brown.
Odour: characteristic of solvents
pH: not relevant
Boiling point: <0°C (propellants)
Flash point: <0°C (propellants)
Evaporation rate: 5
Explosion limits: 1-6 vol%
Vapour pressure: >300 (propellants)
Vapour density: 5.3
Relative density: 0.81-0.83 (24°C)
Solubility: Insoluble in water.
Auto-ignition temperature (°C): 450-550°C
Viscosity: not available

9.2. Other information

Other data: Volatile components (% v/v):80

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: None known.

10.2. Chemical stability

Stability: Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

Conditions/materials to avoid: Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Incompatible materials: None under normal conditions.

10.6. Hazardous decomposition products

Hazardous decomposition products: None in particular.

SAFETY DATA SHEET

Product name:	PROLAN PROTECTIVE LANOLIN	Page:	6/8
Revision Date:	2016-02-08	Print date:	2016-02-08
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral): Based on available data, the classification criteria are not met.

Acute Toxicity (Dermal): Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: Based on available data, the classification criteria are not met.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Inhalation: Vapours and spray mist may irritate throat and respiratory system and cause coughing. In high concentrations, vapours are narcotic and may cause headache, fatigue, dizziness and nausea.

Skin contact: Prolonged contact may cause redness, irritation and dry skin.

Eye contact: May irritate and cause redness and pain.

Ingestion: May cause nausea, headache, dizziness and intoxication.

Specific effects: Frequent inhalation of even small concentrations may cause irritability, fatigue and memory failure and eventually permanent damage to the nervous system, including the brain.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity: There are no data on the ecotoxicity of this product.

12.2. Persistence and degradability

Degradability: The degradability of the product has not been stated.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Other adverse effects: The product contains volatile, organic compounds which have a photochemical ozone creation potential.

SAFETY DATA SHEET

Product name:	PROLAN PROTECTIVE LANOLIN	Page:	7/8
Revision Date:	2016-02-08	Print date:	2016-02-08
Product No.:		SDS-ID:	GB-EN/4.0

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste. Rags and the like, moistened with flammable liquids, must be discarded into designated fireproof bucket. Do not puncture or incinerate even when empty.

Waste from residues: Used cloths, etc.: EWC-code: 15 02 02

Contaminated packaging: EWC-code: 15 01 11
Empty aerosol containers before disposal.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN-No: 1950

14.2. UN proper shipping name

Proper Shipping Name: AEROSOLS, flammable

14.3. Transport hazard class(es)

Class: 2

14.4. Packing group

PG: -

14.5. Environmental hazards

Marine pollutant: No.

Environmentally Hazardous substance: No.

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: Not relevant.

SAFETY DATA SHEET

Product name: PROLAN PROTECTIVE LANOLIN Page: 8/8
Revision Date: 2016-02-08 Print date: 2016-02-08
Product No.: SDS-ID: GB-EN/4.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: As a general rule, persons under 18 years of age are not allowed to work with this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.

National regulation: Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, with amendments.
The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.
-
EH40/2005, Workplace exposure limits 2005, with amendments.
The Aerosol Dispensers Regulations 2009 (SI 2824), with amendments.
The Management of Health and Safety at Work Regulations 1999 (SI 1999 No. 3242), with amendments.
The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status: No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

For restrictions on use see section 15.
The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

Handling of used oils:
Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil. Contact your local authority for any used oil disposal instructions.

The following sections contain revisions or new statements: 2, 3, 11, 13.

Additional information: Classification according to Regulation (EC) No. 1272/2008:
Calculation method.

Wording of H-statements:

EUH066 Repeated exposure may cause skin dryness or cracking.
H220 Extremely flammable gas.
H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H304 May be fatal if swallowed and enters airways.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.