Product name: PROLAN PROTECTIVE LANOLIN - AEROSOL Page: 1/13

MEDIUM OG HEAVY

Supersedes date: 2023-03-10 Revision: 2023-10-13

Product No.: SDS-ID: EU-EN/8.1

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: PROLAN PROTECTIVE LANOLIN - AEROSOL MEDIUM OG HEAVY

Container size: 500 ml

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Lubricant.

Corrosion inhibitor.

## 1.3. Details of the supplier of the safety data sheet

Supplier: Denrex ApS

Daniavej 60 C, Assens DK- 9550 Mariager Tel: +45 24428188 In@denrex.com www.denrex.com

Responsible for safety data

sheet authoring:

In@denrex.com

## 1.4. Emergency telephone number

Emergency telephone: National Poison Control Centres are available in Member Countries.

Product name: PROLAN PROTECTIVE LANOLIN - AEROSOL Page: 2/13

MEDIUM OG HEAVY

Supersedes date: 2023-03-10 Revision: 2023-10-13

Product No.: SDS-ID: EU-EN/8.1

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP: Aerosol 1;H222,H229 - Skin Irrit. 2;H315 - STOT SE 3;H336 - Aquatic Chronic

2;H411

#### 2.2. Label elements



Danger

<u>Contains:</u> Distillates (petroleum), hydrotreated light

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe vapour/spray.

P271 Use only outdoors or in a well-ventilated area.

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container in accordance with local regulations.

2.3. Other hazards

<u>PBT/vPvB:</u> This product does not contain any PBT or vPvB substances.

Other: The product contains volatile, organic compounds which have a photochemical

ozone creation potential.

Aerosol containers can burst violently when heated, due to excess pressure

build-up.

Product name: PROLAN PROTECTIVE LANOLIN - AEROSOL Page: 3/13

MEDIUM OG HEAVY

Supersedes date: 2023-03-10 Revision: 2023-10-13

Product No.: SDS-ID: EU-EN/8.1

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

The product contains: Lanolin, organic solvent and propellants.

CLP:

<u>%:</u>	<u>CAS-No.:</u>	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
30-60	64742-47-8	265-149-8	-	Distillates (petroleum), hydrotreated light	Skin Irrit. 2;H315 STOT SE 3;H336 Asp. Tox. 1;H304 Aquatic Chronic 2;H411	
10-30	109-87-5	203-714-2	-	Dimethoxymethane	Flam. Liq. 2;H225	
1-5	124-38-9	204-696-9	-	Carbon dioxide	Press. Gas, Refrigerated liquified;H281	

References: The full text for all hazard statements is displayed in section 16.

#### **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of first aid measures

Burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Inhalation: Move injured person into fresh air and keep person calm under observation. If

uncomfortable: Seek hospital and bring along these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of eczema or other skin disorders: Seek medical attention and bring

along these instructions.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any

contact lenses and open eyelids widely. If irritation persists: Seek medical

attention and bring along these instructions.

Ingestion: Immediately rinse mouth and drink 1-2 glasses of water. Keep person under

observation. If uncomfortable: Transportation to hospital. Bring along these

instructions.

## 4.2. Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

## 4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

Product name: PROLAN PROTECTIVE LANOLIN - AEROSOL Page: 4/13

MEDIUM OG HEAVY

Supersedes date: 2023-03-10 Revision: 2023-10-13

Product No.: SDS-ID: EU-EN/8.1

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

Extinguishing media: Extinguish with carbon dioxide or dry powder. Cool containers exposed to heat

with water spray and remove container, if no risk is involved.

## 5.2. Special hazards arising from the substance or mixture

Specific hazards: Aerosol containers can burst violently when heated, due to excess pressure

build-up.

#### 5.3. Advice for firefighters

<u>Protective equipment for fire-</u> Selection of respiratory protection for fire fighting: follow the general fire

<u>fighters:</u> precautions indicated in the workplace.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Do not smoke or use open fire, or other sources of ignition. Follow precautions

for safe handling described in this safety data sheet.

### 6.2. Environmental precautions

Environmental Avoid discharge into water courses or onto the ground. Aerosol containers should

<u>precautions:</u> not be dumped in nature.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with non-combustible, absorbing material.

#### 6.4. Reference to other sections

References: For personal protection, see section 8.

For waste disposal, see section 13.

Product name: PROLAN PROTECTIVE LANOLIN - AEROSOL Page: 5/13

MEDIUM OG HEAVY

Supersedes date: 2023-03-10 Revision: 2023-10-13

Product No.: SDS-ID: EU-EN/8.1

#### **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Safe handling advice: Avoid inhalation of spray mists and contact with skin and eyes. Observe good

chemical hygiene practices.

<u>Technical measures:</u> Do not smoke or use open fire or other sources of ignition.

<u>Technical precautions:</u> Provide adequate ventilation.

Provide easy access to water supply or an emergency shower.

## 7.2. Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> Follow rules for flammable liquids.

storage:

Storage conditions: Store in tightly closed original container in a well-ventilated place. Do not store

near heat sources or expose to high temperatures.

7.3. Specific end use(s)

Specific use(s): Not relevant.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Please note that there may be national occupational exposure limits.

Occupational exposure limits:

<u>CAS-No.:</u> <u>Chemical name:</u> <u>Exposure limits:</u> <u>Type:</u> <u>Notes:</u> <u>References:</u>

124-38-9 Carbon dioxide 5000 ppm 9000 mg/m3 - - EC

DNEL/PNEC: Dimethoxymethane:

DNEL long-term inhalative (systemic, workers): 132 mg/m³

DNEL long-term dermal (systemic, workers): 22 mg/kg bodyweight/day

DNEL long-term inhalative (systemic, consumers): 39 mg/m³

DNEL long-term dermal (systemic, consumers): 5,7 mg/kg bodyweight/day DNEL long-term oral (systemic, consumers): 9,6 mg/kg bodyweight/day

PNEC, Soil: 4,6538 mg/kg Dry weight of soil

PNEC, Sea water: 1,4577 mg/l PNEC, Fresh Water: 14,577 mg/l

PNEC, Fresh water sediment: 13,135 mg/kg Dry weight of sediment PNEC, Marine sediments: 1,3135 mg/kg Dry weight of sediment

PNEC sewage treatment plant: 10000 mg/l

Product name: PROLAN PROTECTIVE LANOLIN - AEROSOL Page: 6/13

MEDIUM OG HEAVY

Supersedes date: 2023-03-10 Revision: 2023-10-13

Product No.: SDS-ID: EU-EN/8.1

8.2. Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and

minimise the risk of inhalation of vapours and spray mist.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: Use respiratory equipment with combination filter, type A2/P3.

<u>Hand protection:</u> Risk of contact: Wear protective gloves.

Nitrile gloves are recommended, but be aware that the liquid may penetrate

the gloves. Frequent change is advisable.

Thickness: >0,3 mm; Breakthrough time: >240 min.

The most suitable glove must be chosen in collaboration with the supplier of gloves, who can inform about the breakthrough time of the glove material.

Eye protection: Risk of splashes: Wear goggles/face shield.

Skin protection: Wear apron or protective clothing in case of contact.

<u>Hygiene measures:</u> Wash hands after handling.

Environmental Exposure

Controls:

Not available.

Product name: PROLAN PROTECTIVE LANOLIN - AEROSOL Page: 7/13

MEDIUM OG HEAVY

Supersedes date: 2023-03-10 Revision: 2023-10-13

Product No.: SDS-ID: EU-EN/8.1

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Form: Aerosol.

Colour: Colourless.

Odour: characteristic of solvents

Odour threshold: Not available.

pH: Not relevant.

Boiling point: < 0°C (propellants)

Flash point: 30,5°C (Dimethoxymethane)

Evaporation rate: Not available.

Flammability (solid, gas): Not determined.

Explosion limits: 2,2 - 19,9 %

Vapour pressure: Not available.

Vapour density: Not available.

Relative density: 0,86

Solubility: Insoluble in water.

Partition coefficient (n-

octanol/water):

Not available.

Auto-ignition Not available.

temperature (°C):

<u>Decomposition</u> Not available.

temperature (°C):

<u>Viscosity:</u> Not available.

<u>Explosive properties:</u> Not available.

Oxidising properties: Not available.

9.2. Other information

Other data: Not available.

Product name: PROLAN PROTECTIVE LANOLIN - AEROSOL Page: 8/13

MEDIUM OG HEAVY

Supersedes date: 2023-03-10 Revision: 2023-10-13

Product No.: SDS-ID: EU-EN/8.1

## **SECTION 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

Reactivity: None known.

## 10.2. Chemical stability

<u>Stability:</u> Stable under normal temperature conditions.

## 10.3. Possibility of hazardous reactions

<u>Hazardous Reactions:</u> None known.

## 10.4. Conditions to avoid

Conditions/materials to avoid: Avoid exposure to high temperatures or direct sunlight.

## 10.5. Incompatible materials

<u>Incompatible materials:</u> None under normal conditions.

## 10.6. Hazardous decomposition products

<u>Hazardous decomposition</u> None in particular.

products:

Product name: PROLAN PROTECTIVE LANOLIN - AEROSOL Page: 9/13

MEDIUM OG HEAVY

Supersedes date: 2023-03-10 Revision: 2023-10-13

Product No.: SDS-ID: EU-EN/8.1

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

Acute Toxicity (Oral):

Acute Toxicity (Dermal):

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation):

Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Causes skin irritation.

 $\underline{Serious\ eye\ damage/irritation:}\ Based\ on\ available\ data,\ the\ classification\ criteria\ are\ not\ met.$ 

Respiratory or skin

Based on available data, the classification criteria are not met.

sensitisation:

<u>Germ cell mutagenicity:</u>

<u>Carcinogenicity:</u>

Based on available data, the classification criteria are not met.

<u>Reproductive Toxicity:</u>

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

<u>STOT - Single exposure:</u> May cause drowsiness or dizziness.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Inhalation: Vapours and spray mist may irritate throat and respiratory system and cause

coughing. In high concentrations, vapours are narcotic and may cause headache,

fatigue, dizziness and nausea.

Skin contact: Irritating and degreasing.

<u>Eye contact:</u> May irritate and cause redness and pain.

<u>Ingestion:</u> May cause nausea, headache, dizziness and intoxication.

Specific effects: Frequent inhalation of even small concentrations may cause irritability, fatigue

and memory failure and eventually permanent damage to the nervous system,

including the brain.

<u>Toxicological data:</u> Dimethoxymethane:

LD50 (oral, rat): 6423 mg/kg

LD50 (dermal rabbit) > 5000 mg/kg.

#### 11.2. Information on other hazards

Endocrine disrupting The product does not contain any substance identified as having endocrine

<u>properties:</u> disrupting properties.

Product name: PROLAN PROTECTIVE LANOLIN - AEROSOL Page: 10/13

MEDIUM OG HEAVY

Supersedes date: 2023-03-10 Revision: 2023-10-13

Product No.: SDS-ID: EU-EN/8.1

#### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

Ecotoxicity: The product is toxic to aquatic organisms and may cause long term adverse

effects in the aquatic environment.

Dimethoxymethane:

LC50 (Fish): > 1000 mg/l (96 hours)

EC50 (Daphnia magna, 48 hours): > 1200 mg/l

#### 12.2. Persistence and degradability

<u>Degradability:</u> The degradability of the product has not been stated.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

## 12.4. Mobility in soil

Mobility: No data available.

#### 12.5. Results of PBT and vPvB assessment

<u>PBT/vPvB:</u> This product does not contain any PBT or vPvB substances.

#### 12.6. Endocrine disrupting properties

Endocrine disrupting The product does not contain any substance identified as having endocrine

<u>properties:</u> disrupting properties.

## 12.7. Other adverse effects

Other adverse effects: The product contains volatile, organic compounds which have a photochemical

ozone creation potential.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Rags and the like, moistened with flammable liquids, must be discarded into designated fireproof bucket. Do not puncture or incinerate even when empty.

Waste is classified as hazardous waste.

Waste from residues: Used cloths, etc.: EWC-code: 15 02 02

Contaminated packaging: EWC-code: 15 01 11

Empty aerosol containers before disposal.

Product name: PROLAN PROTECTIVE LANOLIN - AEROSOL Page: 11/13

MEDIUM OG HEAVY

Supersedes date: 2023-03-10 Revision: 2023-10-13

Product No.: SDS-ID: EU-EN/8.1

## **SECTION 14: TRANSPORT INFORMATION**

The product is covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/AND/RID).

## 14.1. UN number

<u>UN-No:</u> 1950

## 14.2. UN proper shipping name

Proper Shipping Name: AEROSOLS, flammable

### 14.3. Transport hazard class(es)

Class: ADR/ADN/RID: 2

IMDG/ICAO: 2.1

## 14.4. Packing group

<u>PG:</u> -

#### 14.5. Environmental hazards

Marine pollutant: Yes.

Environmentally Hazardous Yes.

substance:

#### 14.6. Special precautions for user

Special precautions: None known.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

<u>Transport in bulk:</u> Not relevant.

Product name: PROLAN PROTECTIVE LANOLIN - AEROSOL Page: 12/13

MEDIUM OG HEAVY

 Supersedes date:
 2023-03-10
 Revision:
 2023-10-13

Product No.: SDS-ID: EU-EN/8.1

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: As a general rule, persons under 18 years of age are not allowed to work with

this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.

National regulation: This Safety Data Sheet has been prepared according to the EU-regulation.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, with amendments.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work, with amendments. Council Directive 75/324/EEC of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers, with amendments.

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work, with amendments.

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives, with amendments. 2014/955/EC: Commission Decision of 18 December 2014 amending Decision 2000/532/EC as regards the list of wastes.

#### 15.2. Chemical Safety Assessment

<u>CSA status:</u> No chemical safety assessment has been carried out.

Product name: PROLAN PROTECTIVE LANOLIN - AEROSOL Page: 13/13

MEDIUM OG HEAVY

 Supersedes date:
 2023-03-10
 Revision:
 2023-10-13

Product No.: SDS-ID: EU-EN/8.1

#### **SECTION 16: OTHER INFORMATION**

For restrictions on use see section 15.

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 1.

<u>used in the safety data sheet:</u> DNEL = Derived No Effect Level.

EC50 = Effective Concentration 50%. LC50 = Lethal Concentration 50%.

LD50 = Lethal Dose 50%.

PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Concentration. STOT = Specific Target Organ Toxicity.

vPvB = very Persistent and very Bioaccumulative.

Additional information: Classification according to Regulation (EC) No. 1272/2008:

Calculation method.

Wording of H-statements:

H222 Extremely flammable aerosol.

H225 Highly flammable liquid and vapour.

H229 Pressurised container: May burst if heated.

H281 Contains refrigerated gas; may cause cryogenic burns or injury.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.